Product name:

1	Product name	HiT 50x50							
2	Short brief	Introducing our Machine Guarding and Partition System Post, a good solution for industrial safety Manufactured from mild steel, it provides strength, durability, and versatility with a 50x50 square tub cross-section and 2mm wall thickness. Adjustable to panel systems, it offers a height range of 1400mr to 3450mm, catering to diverse industrial requirements.							
3	Product 3D view								
4	Overview	Our Machine Guarding and Partition System Post, designed from high-grade mild steel, provide a blend quality of strength, durability, and customization. The 50x50 square tube with 2mm wall thickness, establishes a solid foundation for smooth panel integration. Hitech knows the diversity of industrial requirements, for this we provide 4 heights standards range from 1400mm to 3450mm, and the option for custom heights. Versatility extends to fixing options, allowing brackets to slide effortlessly, accommodating various preferences. To ensure stability, a welded base plate with a 200x200 square area and 4mm thickness anchors the post to the ground. This strategic design not only prevents bending but also provides maximum front-side support. Post undergoes a powder-coating process, presenting a refined Ral black color (9005) finish ensuring rust resistant, better life and for aesthetically pleasing. For added corrosion resistance, a galvanized coating option is available, with the flexibility for custom colors and finishes upon request. In short, our Machine Guarding and Partition System Post delivers structural integrity, adaptability, and aesthetic finesse to elevate industrial safety and functionality.							
5	Features	 Mild steel Material 50x50 square tube with 2mm wall thickness Adjustable height range (1400mm to 3450mm) Secured Base plate Powder-coated Ral black color (9005) Optional galvanized finish coating 							

	ı	
		Designed for Medium heights
		Smart welded
		• 100% Stronger
		• 100% Tested
		• 100% Strengthened
		Galvanized
		Ease of Installation
		Impact resistant
		Good colour stability
6	Applicatio	Manufacturing Area
	n	• Workshops
		Assembly Points
		Robot Working Area
		Access Control System of Industries
		Workflow Segmentation
		Welding Stations
		Material Handling Zones
		Machine Cutting Area
		Chemical Processing Zones
		Conveyor Belt Access Points
		Packaging Stations
		Metal Fabrication Zones
		Pharmaceutical Manufacturing
		Food Processing Stations

		Autonomous Robot Working Area									
		Quality Control Stations									
		Hazardous Material Processing Zones									
		Testing and Inspection Points									
_		Maintenance Workspaces									
7	Installatio	At HITECH Racks and Partitions, your satisfaction and the safety of your assets remain our foremost priorities. Partner with us to experience not only the superior craftsmanship of our panels and posts but also the									
	n	professional touch of our installation services. Our installation services encompass the seamless integration									
		of panels and posts, ensuring the structural integrity and effectiveness of your warehouse and machine									
		guarding system. Whether you're embarking on a large-scale project or a smaller-scale initiative, our team is									
		dedicated to ensuring that your installation is executed efficiently and securely.									
8	Finishes	Products are hot deep Galvanized to BS EN 1461 Galvanized or Equivalent									
		Powder coated to BS EN 13438 Hot Dip Galvanized or Equivalent									
		Market and Court of Court Hard to the second Hard t									
		Marine coat Coating for application near salt water									
9	STANDAR	Black RAL 9005/ Ga	alvanized								
	D COLORS										
		Hitech also provide customizable finish and color, for this contact us!									
9	Dimensio										
	ns	ART Number	Component	Dimension	Thickness	Base Plate	Height				
		HiT5220140	Square Hollow Post	50x50	2	200x200x4	1400				
		HiT5220220	Square Hollow Post	50x50	2	200x200x4	2200				
		HiT5220265	Square Hollow Post	50x50	2	200x200x4	2650				
		HiT5220345	Square Hollow Post	50x50	2	200x200x4	3450				
		111132233	oquare Honow Foot	30,30	_	LOGALOGA	3.30				
10	Download	•	on manual								
	S	2) Product data sheet									
		Drawing									
		4) Tech specification MS word									
11	Approvals	5)									
12	Combine										
	With	• Fixing									
		Gap cover									
		• doors									
		Corner post									